



AGERA® SKINCARE TREATMENT PROTOCOLS

*AGERA® offers a wide range of advanced products
for use only by the skincare professional during spa/salon treatments.
These incorporate multiple products that work synergistically
to address the specific needs of different skin types.*

This treatment provides deep cleansing and detoxifying agents to help purify problem skin types. It eliminates surface bacteria which is beneficial in preventing future breakouts. Anti-inflammatory ingredients help counteract irritation and soothe problem skin. This treatment is ideal for teenage clients.

| FACIAL SUPPLIES | AGERA® PRODUCTS |
|--|---|
| <ul style="list-style-type: none"> • Steamer or towel cabi • Nonlatex gloves • Cotton pads • Fan brush | <ul style="list-style-type: none"> • Eye Makeup Remover • Salicylic Wash or Extra Gentle Cleanser • Microderma Crystal C System (Mask & Activator) • Aerobic Infusion Cream • Catalyse Enzyme Gel • AHA Clarifying Toner • Detoxifying Clay Mask • Lysozymal Antibacteria Gel |

INSTRUCTIONS

- STEP 1:** Consult with client and explain procedure. Analyze skin. Complete client evaluation form. Instruct client in mandatory use of home treatment products for effective treatment. **Patch test Microderma Crystal C System at least 2 days prior to procedure.**
- STEP 2:** Remove makeup from lips and eyes using **Eye Makeup Remover.**
- STEP 3:** Cleanse face and neck with **Salicylic Wash** or **Extra Gentle Cleanser.** Remove thoroughly with warm water.
- STEP 4:** Apply **Microderma Crystal C Mask** and **Microderma Crystal C Activator.** Gently massage. Remove thoroughly with cool water.
- STEP 5:** Apply steam or warm, moist towel for 5 minutes.
- STEP 6:** Apply **Aerobic Infusion Cream** to face. Apply **Catalyse Enzyme Gel** and massage gently with fingertips to produce foam.
- STEP 7:** Resume steam for 2 minutes.
- STEP 8:** Remove **Aerobic Infusion Cream** with cotton pads and warm water.
- STEP 9:** Apply gloves, perform extraction.
- STEP 10:** Apply **AHA Clarifying Toner** with cotton pads.
- STEP 11:** Apply **Detoxifying Clay Mask** and let rest for 5 minutes. Remove thoroughly with cool water.
- STEP 12:** Apply **Lysozymal Antibacteria Gel.**
- STEP 13:** CONSULTATION: Instruct client on home use of **Daily Acne Shield System** for acne-prone skin conditions. Provide client with home treatment regimen and suggest product use.



This treatment provides a soothing and calming treatment following microdermabrasion. The products used in the treatment help to reduce cutaneous inflammation while stimulating the skin, which is helpful in collagen and elastin synthesis.

| FACIAL SUPPLIES | AGERA® PRODUCTS |
|--|---|
| <ul style="list-style-type: none"> • Ice/water • Nonlatex gloves • 4 x 4 folded cotton squares • Fan brush | <ul style="list-style-type: none"> • Eye Makeup Remover • Extra Gentle Cleanser • Pre-Procedure Anti-Inflammatory Base • Soothing Conditioning Mist • Intensive MagC® Gel • Recovery Cream • Ultra Performing Sunscreen—SPF 25 |

INSTRUCTIONS

- STEP 1:** Consult with client. Have client sign consent form and complete questionnaire. **Do patch test for microdermabrasion.** DO NOT perform procedures or apply AGERA® products to skin exhibiting open cuts, cold sores, acne lesions or pustules, cysts, sunburn, chemical or thermal burn, apparent skin sensitivity, or to clients on prescriptive medication such as Accutane®, Retin-A®, etc.
- STEP 2:** Analyze skin. Complete client evaluation form. Make client comfortable. Secure hair from face.
- STEP 3:** Remove makeup from lips and eyes using **Eye Makeup Remover**, and cleanse skin with **Extra Gentle Cleanser**. Remove thoroughly with cool water.
- STEP 4:** Prep area to be resurfaced with cotton pad soaked in **Pre-Procedure Anti-Inflammatory Base**. Allow skin to dry completely.
- STEP 5:** Proceed with **microdermabrasion** procedure according to manufacturer instructions.
- STEP 6:** Remove any crystal residue from skin surface. Ice/cold water compress can be applied to reduce redness and/or erythema, and to rehydrate the skin.
- STEP 7:** Apply **Soothing Conditioning Mist**.
- STEP 8:** Apply a thin layer of **Intensive MagC® Gel**. Allow to dry.
- STEP 9:** Apply a thin layer of **Recovery Cream**.
- STEP 10:** Apply a thin layer of **Ultra Performing Sunscreen—SPF 25**.
- STEP 11:** CONSULTATION: Provide client with home treatment regimen for post-procedure.



This is a combined treatment series utilizing microdermabrasion to resurface and AGERA® Triad Peel to facilitate skin renewal. The AGERA® peel system is an anhydrous delivery of Salicylic, Lactic, and Citric acids that controls exfoliation via epidermal and dermal stimulation. The results are smoother, clearer, and younger-looking skin without the downtime associated with traditional peel procedures.

| FACIAL SUPPLIES | AGERA® PRODUCTS |
|--|--|
| <ul style="list-style-type: none"> • Ice/water • Nonlatex gloves • 4 x 4 folded cotton squares • Fan brush | <ul style="list-style-type: none"> • Eye Makeup Remover • Extra Gentle Cleanser • Pre-Procedure Anti-Inflammatory Base • Plus Peel–24 • Simply C Pro Peel System (Powder & Activator) • Soothing Conditioning Mist • Intensive MagC® Gel • Recovery Cream • Ultra Performing Sunscreen–SPF 25 |

INSTRUCTIONS (4 sessions–1 week apart)

SESSION 1 (45 minutes)

- STEP 1:** Consult with client and explain procedure. Have client sign consent form and complete questionnaire. For maximum results, client must know that home treatment products are necessary. **Do patch test for microdermabrasion and patch test for peel product.** DO NOT perform procedures or apply AGERA® products to skin exhibiting open cuts, cold sores, acne lesions or pustules, cysts, sunburn, chemical or thermal burn, apparent skin sensitivity, or to clients on prescriptive medication such as Accutane®, Retin-A®, etc. **This treatment is not recommended for active acne, only controlled acne conditions. Facial for oily/acne-prone skin conditions and Daily Acne Shield System should be administered until active acne conditions subside.**
- STEP 2:** Analyze skin. Complete client evaluation form. Make client comfortable. Secure hair from face.
- STEP 3:** Remove makeup from lips and eyes using **Eye Makeup Remover**, and cleanse skin with **Extra Gentle Cleanser**. Remove thoroughly with cool water.
- STEP 4:** Apply **Pre-Procedure Anti-Inflammatory Base** using fan brush in an even layer. Allow to dry.
- STEP 5:** Mix **Simply C Pro Peel** according to peel guide directions. Pour small amount of activated **Simply C Pro Peel** into dish and apply to skin with fan brush in even layer, do not overlap. Allow to dry. A mixture of 1 teaspoon Bicarbonate of Soda to 1 cup (8 oz) of water should be kept close in case of intense erythema or stinging, or if solution gets into the eyes.
- STEP 6:** Apply **Plus Peel-24** to skin with fan brush in even layer, do not overlap. Allow to dry.
- STEP 7:** Apply ice/cold water compress to entire area according to peel guide instructions.
- STEP 8:** Apply **Soothing Conditioning Mist**.
- STEP 9:** Apply a thin layer of **Intensive MagC® Gel**. Allow to dry.
- STEP 10:** Apply a thin layer of **Recovery Cream**.
- STEP 11:** Apply a thin layer of **Ultra Performing Sunscreen–SPF 25**.
- STEP 12:** CONSULTATION: Provide client with home treatment regimen and suggest product use.
- STEP 13:** Schedule next session.



continued from previous page

SESSION 2 (25 minutes)

STEP 1: Basic Microdermabrasion (see treatment instructions).

STEP 2: Schedule next session.

SESSION 3 (65 minutes)

STEP 1: Repeat SESSION 1, steps 2-4. Allow skin to dry.

STEP 2: Repeat **Basic Microdermabrasion**, steps 5-12.

STEP 3: Schedule next session.

SESSION 4 (65 minutes)

STEP 1: Repeat SESSION 1, steps 2-4. Allow skin to dry.

STEP 2: Repeat **Basic Microdermabrasion**, steps 5-12.



www.agera.com

This treatment includes a series of aggressive treatments that are beneficial in suppressing and controlling epidermal pigmentation via microdermabrasion and AGERA® Triad Peel treatment. This results in smoother, brighter, and younger-looking skin without the downtime associated with traditional peel procedures.

| FACIAL SUPPLIES | AGERA® PRODUCTS |
|--|--|
| <ul style="list-style-type: none"> • Ice/water • Nonlatex gloves • 4 x 4 folded cotton squares • Fan brush | <ul style="list-style-type: none"> • Eye Makeup Remover • Extra Gentle Cleanser • Pre-Procedure Anti-Inflammatory Base • Plus Peel–24 • Simply C Pro Peel System (Powder & Activator) • Soothing Conditioning Mist • Intensive MagC® Gel • Recovery Cream • Ultra Performing Sunscreen–SPF 25 |

INSTRUCTIONS (4 sessions–1 week apart)

NOTE: Client must use treatment products at home, and continued use is required after sessions end in order to maintain results.

STEP 1: (1 week prior to scheduling service.) Consult with client and explain procedure. Have client sign consent form and complete questionnaire. **Do patch test for microdermabrasion and patch test for peel products.** DO NOT perform procedures or apply AGERA® products to skin exhibiting open cuts, cold sores, acne lesions or pustules, cysts, sun burn, chemical or thermal burn, apparent skin sensitivity, or to clients on medication such as Accutane®, Retin-A®, etc.

STEP 2: Instruct client in mandatory use of AGERA® home treatment products. **Kojic Plus 2% Lightening Cream** is to be used morning and night, after cleansing and toning for 1 week prior to service treatment. Sunscreen is mandatory for daytime.

SESSION 1 (45 minutes)

STEP 1: Analyze skin. Complete client evaluation form. Make client comfortable. Secure hair from face.

STEP 2: Remove makeup from lips and eyes using **Eye Makeup Remover**, and cleanse skin with **Extra Gentle Cleanser**. Remove thoroughly with cool water.

STEP 3: Apply **Pre-Procedure Anti-Inflammatory Base** using fan brush in even layer. Allow to dry. Reapply **Pre-Procedure Anti-Inflammatory Base** to pigmented areas. Allow to dry.

STEP 4: Mix **Simply C Pro Peel** according to peel guide directions. Pour small amount of activated **Simply C Pro Peel** into dish and apply to skin with fan brush in even layer, do not overlap. Allow to dry. A mixture of Bicarbonate of Soda 1 teaspoon to 1 cup (8 oz) of water should be kept close in case of intense erythema or stinging, or if solution gets into the eyes.

STEP 5: Apply **Plus Peel–24** to skin with fan brush in even layer, do not overlap. Allow to dry.

STEP 6: Apply ice/cold water compress to entire area according to peel guide instructions.

STEP 7: Apply **Soothing Conditioning Mist**.

STEP 8: Apply a thin layer of **Intensive MagC® Gel**. Allow to dry.

STEP 9: Apply a thin layer of **Recovery Cream**.

STEP 10: Apply a thin layer of **Ultra Performing Sunscreen–SPF 25**.

STEP 11: CONSULTATION: Provide client with home treatment regimen and suggest product use.

STEP 12: Schedule next session.



Continued from previous page

SESSION 2 (25 minutes)

STEP 1: Basic Microdermabrasion (see treatment instructions).

STEP 2: Schedule next session.

SESSION 3 (65 minutes)

STEP 1: Repeat SESSION 2, steps 1-4. Allow skin to dry.

STEP 2: Repeat **Basic Microdermabrasion**, steps 4-10.

STEP 3: Schedule next session.

SESSION 4 (65 minutes)

STEP 1: Repeat SESSION 2, steps 1-4. Allow skin to dry.

STEP 2: Repeat **Basic Microdermabrasion**, steps 4-10.



www.agera.com

This treatment is designed to deliver 24% total AHA/BHA/PHA peel at a pH of 2.0 in an anhydrous base to provide a number of benefits to the skin. The result is skin that is smooth, radiant, and more evenly toned.

PRODUCT BENEFITS

- Provides benefits that help enhance collagen and elastin
- Produces less irritation and no downtime
- Diminishes the appearance of fine lines and wrinkles
- Helps correct post-inflammatory discoloration from acne
- Helps control acne
- Lightens and brightens the skin
- Helps correct environmentally and sun-damaged, and aging skin
- Softens skin
- Refines skin texture
- Provides benefits that help with excess pigmentation

KEY INGREDIENTS

AGERA® PRE-PROCEDURE ANTI-INFLAMMATORY BASE

Sigesbeckia Orientalis Extract: A native plant to Madagascar. It has calming, anti-inflammatory properties.

Licorice Extract: Derived from the licorice root. It has anti-inflammatory properties.

Bearberry Extract: Has antibacterial properties for skin. It also contains Arbutin. Arbutin helps to inhibit melanin production.

Mulberry Extract: Helps to inhibit melanin production.

Scutellaria Extract: An herbal extract that has antibacterial and anti-inflammatory properties.

Centaurium Erythraea Extract: A plant from which ursolic acid is derived for its anti-inflammatory properties.

Kojic Acid: An extract of fungi (mushrooms) that has antioxidant properties and is used to help prevent melanin production.

AGERA® PLUS PEEL-24

Salicylic Acid: Beta Hydroxy Acid (BHA) is used as an exfoliant.

BHA is effective for reducing clogged pores and breakouts and is anti-inflammatory.

Lactic Acid: An Alpha Hydroxy Acid (AHA) extracted from milk, though most forms used in cosmetics are synthetic. It exfoliates cells on the surface of skin by breaking down the material that holds skin cells together.

Citric Acid: A Poly Hydroxy Acid derived from citrus.

Ascorbyl Palmitate: A form of Vitamin C and an antioxidant.

HOW AGERA® PLUS PEEL TREATMENT WORKS

The anhydrous component allows the full acid strength to penetrate through the stratum corneum to the epidermal layer with minimum irritation. Once activated with the application of water, the acids soften the stratum corneum and stimulate the epidermal cell layer causing exfoliation and stimulation that results in enhanced collagen and elastin production. The treatment also plumps the skin through slight edema.



continued from previous page

| FACIAL SUPPLIES | AGERA® PRODUCTS |
|--|--|
| <ul style="list-style-type: none"> • Ice/water • Nonlatex gloves • 4 x 4 folded cotton squares • Fan brush | <ul style="list-style-type: none"> • Extra Gentle Cleanser • Pre-Procedure Anti-Inflammatory Base • Plus Peel–24 • Simply C Pro Peel System (Powder & Activator) • Intensive MagC® Gel • Recovery Cream • Ultra Performing Sunscreen–SPF 25 |

INSTRUCTIONS

NOTE: Always perform a patch test prior to treatment.

STEP 1: Cleanse entire area to be treated with **Extra Gentle Cleanser**. Remove thoroughly with warm water.

STEP 2: Use a fan brush to apply a thin layer of **Pre-Procedure Anti-Inflammatory Base** solution. Follow brushstroke with a gauze or cotton pad to ensure even application. Allow to dry. It is best to fan the skin while drying, allowing for faster evaporation of the strong medicinal smell. You can layer pigmented areas. No more than 3 layers per area. Allow to dry between layers.

STEP 3: Pour a small amount of **Plus Peel–24** into a dish. Using brush, apply a thin, even layer. Work rapidly and with even strokes, do not overlap. Follow brushstroke with gauze or cotton pad to ensure even application. Allow to dry. Level and intensity of peel is achieved by applying multiple layers of **Plus Peel–24**. Allow to dry completely between layers. The number of layers is determined by skin type and condition being treated.

STEP 4: Apply ice/cold water compress with strips of cotton pad (4 x 4 unfolded) for 3 to 5 minutes to fully activate peel. Ask client to inform of any area of stinging or warming sensation. This will help to identify sensitivity. Skin should be checked for any erythema or “hot spots.” Record skin reactions. These areas should be regarded carefully in future treatments. If extreme discomfort of intense burning or stinging occurs, immediately neutralize area (mixture of 1 teaspoon Bicarbonate of Soda to 1 cup of water). Remove with cool, wet cotton pads.

STEP 5: Apply a thin layer of **Intensive MagC® Gel**. Allow to dry.

STEP 6: Apply a thin layer of **Recovery Cream**.

STEP 7: Apply a thin layer of **Ultra Performing Sunscreen–SPF 25**.

STEP 8: Always present the client with the After Procedure Home Care Information Sheet.



This treatment is designed to deliver 20% L-Ascorbic Acid and antimicrobial, ethanolic Vitamin C at a pH of 2.0 to provide a number of benefits to the skin. The result is glowing skin with refined texture. In a series or combined with microdermabrasion, this treatment helps thicken the epidermal layer for smoother skin, reducing the appearance of fine lines and promoting a more even skin tone.

PRODUCT BENEFITS

- Delivers antioxidant Vitamin C
- Provides benefits that help enhance collagen and elastin
- Softens and removes dead cell layer
- Desensitizes skin for additional peel application or microdermabrasion
- Anti-inflammatory to aid in addressing acne
- Helps treat actinic damage (sun-damaged skin)
- Causes no downtime
- Can be used in layered peels
- Can be used with microdermabrasion. If used prior to microdermabrasion, desensitizes the skin and achieves enhanced microdermabrasion results. If used post-microdermabrasion, increases peel benefits

KEY INGREDIENTS

AGERA® SIMPLY C PRO PEEL POWDER

Ascorbic Acid
Calcium Ascorbate
Magnesium Ascorbate
Sodium Ascorbate
Citric Acid
Sodium Citrate with Activator (pH 2.0)

AGERA® SIMPLY C PRO PEEL ACTIVATOR (PH 2.0)

SD Alcohol
4OB Lactic Acid
Hydroxyethyl Cellulose
Linoleamidopropyl PG Dimonium
Chloride Phosphate
Polyquaternium-10
Diazolidinyl Urea
Methylparaben
Propylparaben (pH 2.0)

HOW AGERA® SIMPLY C PRO PEEL TREATMENT WORKS

Simply C Pro Peel Powder, when combined with Simply C Pro Peel Activator, becomes a 20% L-Ascorbic Acid, antimicrobial, ethanolic Vitamin C treatment with a pH of 2.0. The stratum corneum is softened via pH 2.0 allowing Vitamin C into the epidermal layer. Once water is applied, the peel is activated and causes a mild keratinolytic reaction, resulting in epidermal stimulation.



continued from previous page

| FACIAL SUPPLIES | AGERA® PRODUCTS |
|--|--|
| <ul style="list-style-type: none"> • Ice/water • Nonlatex gloves • 4 x 4 folded cotton squares • Fan brush | <ul style="list-style-type: none"> • Extra Gentle Cleanser • Pre-Procedure Anti-Inflammatory Base • Simply C Pro Peel System (Powder & Activator) • Intensive MagC® Gel • Recovery Cream • Ultra Performing Sunscreen—SPF 25 |

INSTRUCTIONS

NOTE: Always perform a patch test prior to treatment.

Prior to treatment: Fill **Simply C Pro Peel Powder** with **Simply C Pro Peel Activator** to top of bottle. Shake well and let dissolve for 5 minutes. Or, mix by combining 1 part powder to 6 parts Activator (1/8 tsp powder to 3/4 tsp Activator).

STEP 1: Cleanse area to be treated with **Extra Gentle Cleanser**. Remove thoroughly with warm water.

STEP 2: Use fan brush to apply a thin layer of **Pre-Procedure Anti-Inflammatory Base** solution. Follow brushstroke with gauze or cotton pad to ensure even application. Allow to dry. It is best to fan the skin while drying allowing for faster evaporation of the strong medicinal smell. You can layer pigmented areas, no more than 3 layers per area. Allow to dry between layers.

STEP 3: Pour a small amount of activated **Simply C Pro Peel** into a dish, using fan brush, apply a thin even layer. Working rapidly and with even strokes, do not overlap. Follow brushstroke with gauze or cotton pad to ensure even layer. Allow to dry. No more than 3 layers per area. Allow to dry between layers.

STEP 4: Apply ice/cold water compress with strips of cotton pad (4 x 4 unfolded) for 3 to 5 minutes to fully activate peel. Ask client to inform of any area of stinging or warming sensation. This will help to identify sensitivity. Skin should be checked for any erythema or “hot spots.” Record skin reactions. These areas should be regarded carefully in future treatments. If extreme discomfort of intense burning or stinging occurs, immediately neutralize area (mixture of 1 teaspoon Bicarbonate of Soda to 1 cup of water). Remove peel with cool, wet cotton pads.

STEP 5: Apply a thin layer of **Intensive MagC® Gel**. Allow to dry.

STEP 6: Apply a thin layer of **Recovery Cream**.

STEP 7: Apply a thin layer of **Ultra Performing Sunscreen—SPF 25**.

STEP 8: Always present the client with the After Procedure Home Care Information Sheet.

See procedures for additional treatments.

Client should be instructed to use home treatment products to achieve desired results.



AGERA® Simply C Pro Peel & Microdermabrasion Treatment

Aging & Mild Acne-Prone Skin

This Vitamin C peel treatment provides antioxidant therapy combined with microdermabrasion to help with collagen production, and refining and rejuvenating aging skin. This treatment also aids in mild acne-prone skin conditions.

| FACIAL SUPPLIES | AGERA® PRODUCTS |
|--|--|
| <ul style="list-style-type: none"> • Ice/water • Nonlatex gloves • 4 x 4 folded cotton squares • Fan brush | <ul style="list-style-type: none"> • Eye Makeup Remover • Extra Gentle Cleanser • Pre-Procedure Anti-Inflammatory Base • Simply C Pro Peel System (Powder & Activator) • Soothing Conditioning Mist • Intensive MagC® Gel • Recovery Cream • Ultra Performing Sunscreen—SPF 25 |

INSTRUCTIONS

- STEP 1:** Consult with client and explain procedure. Have client sign consent form and complete questionnaire. **Do patch test for microdermabrasion and patch test for peel product.** DO NOT perform procedures or apply AGERA® products to skin exhibiting open cuts, cold sores, acne lesions or pustules, cysts, sunburn, chemical or thermal burn, apparent skin sensitivity, or on clients on prescriptive medication such as Accutane®, Retin-A®, etc.
- STEP 2:** Analyze skin. Complete client evaluation form. Make client comfortable. Secure hair from face.
- STEP 3:** Remove makeup from lips and eyes using **Eye Makeup Remover**, and cleanse skin with **Extra Gentle Cleanser**. Remove thoroughly with cool water.
- STEP 4:** Prep area to be resurfaced with cotton pad soaked in **Pre-Procedure Anti-Inflammatory Base**. Allow skin to dry completely.
- STEP 5:** Mix **Simply C Pro Peel** according to peel guide directions. Pour small amount of activated **Simply C Pro Peel** into dish and apply to skin with fan brush in even layer, do not overlap. Allow to dry. A mixture 1 teaspoon of Bicarbonate of Soda to 1 cup (8 oz) of water should be kept close in case of intense erythema or stinging or if solution gets into the eyes.
- STEP 6:** Apply ice/cold water compress to entire area according to peel guide instructions.
- STEP 7:** Remove any peel residue. Reapply **Pre-Procedure Anti-Inflammatory Base**. Allow skin to dry.
- STEP 8:** Proceed with **microdermabrasion** procedure according to manufacturer instructions.
- STEP 9:** Remove any crystal residue from skin surface. Ice/cold water compress can be applied.
- STEP 10:** Apply **Soothing Conditioning Mist**.
- STEP 11:** Apply a thin layer of **Intensive MagC® Gel**. Allow to dry.
- STEP 12:** Apply a thin layer of **Recovery Cream**.
- STEP 13:** Apply a thin layer of **Ultra Performing Sunscreen—SPF 25**.

Provide client with home treatment regimen for post-procedures.



www.agera.com

This treatment includes a combination of pigment suppressors, Vitamin C, and AHA/BHA/PHA, to provide a combined effect of 44% acid peel at a pH of 2.0. The result is softer, brighter skin with a refined texture. Maximum benefits are attained through a series of treatments which enhance the anti-aging benefits. The amount of flaking is dependent on skin condition and the number of layers of peel applied.

PRODUCT BENEFITS

- Provides the maximum aggressive peel with minimal irritation
- Helps plump the skin
- Provides antioxidant Vitamin C to protect against free radical damage
- Provides benefits that help enhance collagen and elastin
- Produces no downtime
- Diminishes the appearance of fine lines and wrinkles
- Softens skin
- Refines skin texture
- Provides benefits that help with negative pigmentation

KEY INGREDIENTS

AGERA® PRE-PROCEDURE ANTI-INFLAMMATORY BASE

Sigesbeckin Orientalis Extract: A native plant to Madagascar. It has calming, anti-inflammatory properties.

Licorice Extract: Derived from the licorice root. It has anti-inflammatory properties.

Bearberry Extract: Has antibacterial properties for skin. It also contains Arbutin. Arbutin helps to inhibit melanin production.

Mulberry Extract: Helps to inhibit melanin production.

Scutellaria Extract: An herbal extract that has antibacterial and anti-inflammatory properties.

Centaureum Erythraea Extract: A plant from which ursolic acid is derived for its anti-inflammatory properties.

Kojic Acid: An extract of fungi (mushrooms) that has antioxidant properties and is used to help prevent melanin production.

AGERA® PRE-PROCEDURE ANTI-INFLAMMATORY BASE

Lactic Acid: An Alpha Hydroxy Acid (AHA) extracted from milk or synthetic sources. It exfoliates cells on the surface of skin by breaking down the material that holds skin cells together.

Ascorbic Acid: Vitamin C.

Calcium Ascorbate: A salt of Ascorbic Acid, designed to buffer pH.

Magnesium Ascorbate: A salt of Ascorbic Acid with antioxidant and anti-inflammatory properties.

Citric Acid: A Poly Hydroxy Acid (PHA) derived from citrus.

AGERA® PLUS PEEL-24

Salicylic Acid: A Beta Hydroxy Acid (BHA) is used as an exfoliant. BHA is effective for reducing clogged pores and breakouts, and is anti-inflammatory.

Lactic Acid: An Alpha Hydroxy Acid (AHA) extracted from milk, though most forms used in cosmetics are synthetic. It exfoliates cells on the surface of skin by breaking down the material that holds skin cells together.

Citric Acid: A Poly Hydroxy Acid (PHA) derived from citrus.

Ascorbyl Palmitate: A form of Vitamin C and an antioxidant.



continued from previous page

HOW AGERA® TRIAD PEEL TREATMENT WORKS

The objective of this peel is to minimize irritation but increase basal cell activity to lessen fine lines and wrinkles, and lighten pigmentation associated with sun damage. The anhydrous component allows the full acid strength penetration through the stratum corneum to the epidermal layer with minimum irritation. Once activated with the application of water, the acids soften the stratum corneum and stimulate the epidermal cell layer, causing exfoliation and stimulation that results in enhanced collagen and elastin production. Pigmentation suppressors aid in the suppression of, and work to lighten, negative pigmentation. The Vitamin C desensitizes the skin to allow for more aggressive acid strength without the irritation, and the skin is plumped through slight edema.

| FACIAL SUPPLIES | AGERA® PRODUCTS |
|--|--|
| <ul style="list-style-type: none"> • Ice/water • Nonlatex gloves • 4 x 4 folded cotton squares • Fan brush | <ul style="list-style-type: none"> • Extra Gentle Cleanser • Pre-Procedure Anti-Inflammatory Base • Simply C Pro Peel System (Powder & Activator) • Plus Peel—24 • Intensive MagC® Gel • Recovery Cream • Ultra Performing Sunscreen—SPF 25 |

INSTRUCTIONS

NOTE: Always perform a patch test prior to treatment.

Prior to treatment: Fill **Simply C Pro Peel Powder** container to the top with **Simply C Pro Peel Activator**. Shake well and let dissolve for 5 minutes. Or, mix by combining 1 part Powder to 6 parts Activator (1/8 tsp Powder to 3/4 tsp Activator).

- STEP 1:** Cleanse area to be treated with **Extra Gentle Cleanser**. Remove thoroughly with warm water.
- STEP 2:** Use fan brush to apply a thin layer of **Pre-Procedure Anti-Inflammatory Base** solution. Follow brushstroke with gauze or cotton pad to ensure even application. Allow to dry. It is best to fan the skin while drying to allow for faster evaporation of the strong medicinal smell. You can layer pigmented areas, no more than 3 layers per area. Allow to dry between layers.
- STEP 3:** Pour a small amount of activated **Simply C Pro Peel** into a dish. Using fan brush, apply a thin, even layer. Working rapidly and with even strokes, do not overlap. Follow brushstroke with gauze or cotton pad to ensure even layer. Allow to dry. No more than 3 layers per area. Allow to dry between layers.



continued from previous page

STEP 4: Pour a small amount of **Plus Peel—24** into a dish. Using fan brush, apply a thin, even layer. Working rapidly and with even strokes, do not overlap. Follow brushstroke with gauze or cotton pad to ensure even application. Allow to dry. No more than 3 layers per area. Allow to dry between layers.

STEP 5: Apply a ice/cold water compress with strips of cotton pad (4 x 4 unfolded) for 3 to 5 minutes to fully activate peel. Ask client to inform of any area of stinging or warming sensation. This will help to identify sensitivity. Skin should be checked for any erythema or “hot spots.” Record skin reactions. These areas should be regarded carefully in future treatments. If extreme discomfort of intense burning or stinging occurs, immediately neutralize area (mixture of 1 teaspoon Bicarbonate of Soda to 1 cup of water). Remove with cool, wet cotton pads.

STEP 6: Apply a thin layer of **Intensive MagC® Gel**. Allow to dry.

STEP 7: Apply a thin layer of **Recovery Cream**.

STEP 8: Apply a thin layer of **Ultra Performing Sunscreen—SPF 25**.

STEP 9: Always present the client with the After Procedure Home Care Information Sheet.

